# **Catchmaster**™ Brand Adhesive Devices – MSDS

MANUFACTURER'S ADDRESS:			PREPARED BY:			TELEPHONE NO:		
AP&G Co., Inc.								
170 53 <sup>rd</sup> Street			ARRC Co. Inc.				(718) 492-3648	
Brooklyn, NY 11232 PRODUCT NAME:			AP&G Co., Inc. USE:				(7 18) 492-3048	
CATCHMASTER™ BDS™ Bedbug Detection System			Bedbug monitoring device					
CHEMICAL NAME AND SYNONYM:			EPA ESTALBISHMENT NO:				EPA REGESTRATION NO:	
N/A			48377-N.Y1 Not Required					
ITEMS:			·					
Model No. BDS12-6	Description System Maritage							
BDS12-0	Bedbug Detection System Monitors							
SECTION I – HAZARDOUS INGREDIENTS								
ACTIVE INGREDIENTS:			% BY WEIGHT:				CURRENT TLV:	
None			N/A				N/A	
SECTION II – PHYSICAL DATA								
APPEARANCE: COLOR:				ODOR:				
Solid	Clear/Yellow		Scent Free or non allergenic sy			ergenic synthetic scents		
VAPOR DENSITY:	WATER REA			APORA	E:			
N/A	N/A		N/A					
VAPOR PRESSURE:	BOILING PO			DLUBILITY:				
N/A N/A				Soluble in mineral spirits				
SECTION III – FIRE AND EXPLOSION DATA								
FLASH POINT (method used): FLAMMAB						NITION TEMP:		
375° F N/A			N/A					
			SPECIAL FIREFIGHTING PROCEDURES:			UNUSUAL FIRE OR EXPLOSION HAZARDS:		
Extinguish with water, foam, or inert gas None			None					
SECTION IV – REACTIVITY HAZARD DATA								
STABILITY:	CONDITION			POLYMERIZATION:				
Stable	None			Will not occur				
CONDITIONS TO AVOID:	INCOMPATI	rials to av	oid)	HAZARDOUS DECOMPOSITION PRODUCTS:				
None	None			None				
SECTION V - TOXIO	CITY DATA							
LD50, ORAL (ingestion):							ION:	
N/A	N/A			N/A				
DERMAL SENSITIZATION:	SKIN IRRITA			EYE IRRITATION:		N:		
N/A	N/A			N/A				
SECTION VI -								
PRIMARY ROUTE OF ENT	SIGNS AND SYMPTOMS OF EXPOSURE:							
N/A Nor								
EMERGENCY FIRST AID I								
Eyes: Flush with cool water for at least fifteen minutes, contact a physician.								
Skin: Remove glue with mineral spirits or vegetable oil. Wash skin with soap and water.								
Inhalation: N/A								
<b>Ingestion:</b> Call a physician or emergency phone number immediately. Do not give anything by mouth or induce vomiting unless instructed by physician.								
Note to physician: None								

SECTION VII – CONTROL & PROTECTIVE MEASURES					
RESPIRATION TYPE:	EYE PROTECTION:	GLOVES (recommended):			
Not required	Not required	None			
VENTILATION:	OTHER PROTECTIVE MEASURES:				
Not required	Not required				
NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATINGS:					
HEALTH: 0 (minimal)	FIRE: 0 (minimal)				
REACTIVITY: 0 (minimal)	SPECIFIC HAZARD: None				
HAZARDOUD MATERIAL INFORMATION (HMIS) RATINGS:					
HEALTH: 0 (minimal) FLAMMABILITY: 0 (minimal)					
REACTIVITY: 0 (minimal) PROTECTIVE EQUIPMENT: None					

## SECTION VIII - SPILL OR LEAK PROCEDURES

#### STEPS TO BE TAKEN IN THE EVENT MATERIAL IS RELEASED OR SPILLED:

General clean up. Remove glue by applying mineral spirits to spilled area, follow by washing area with warm water and detergent.

#### WASTE DISPOSAL METHOD:

Wastes resulting from use may be disposed of on-site or at an approved waste disposal facility. Dispose of wastes in accordance with all applicable federal, state and local regulations.

# **SECTION IX - SPECIAL PRECAUTIONS & STORAGE**

STORAGE TEMPERATURE:	AVERAGE SHELF LIFE:
Room temperature	Stable

#### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Store in original container in a cool, dust free environment.

## **SECTION X – SHIPPING DATA**

DOT SHIPPING NAME:	DOT HAZARD CLASSIFICATION:
Not Required	Non-hazardous
DOT LABELS REQUIRED:	FREIGHT CLASSIFICATION:
Not Required	LTL Class 60

Each single package of every CATCHMASTER™ product is marked EPA – Establishment No. 48377-N.Y.-1. This is mandated by the United States of America Environmental Protections Agency Regulations. Furthermore, detailed Annual Production and Sales Reports must be filed each and every year with the E.P.A., by the AP&G Co., Inc.

MSDS-2010-1. CATCHMASTER – Bedbug Detection System Prepared: 01-May-2010