



KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements.

NET CONTENTS 24 FL. OZS. 15M-2-911



BONHAM, TEXAS 75418 EPA Reg. No. 70051-13-7401 EPA Est. No. 7401-TX-01 Visit Us At: www.fertilome.com



FIR	ST	ΑI	D
-----	----	----	---

If Inhaled:	Move person to fresh air. If person is not breath- ing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if pos- sible. Call a poison control center or doctor for fur- ther treatment advice.
If In Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.</li> </ul>
If On Skin Or Clothing:	Take off contaminated clothing. Rinsing skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment

Have the product container or label with you when calling a control center or doctor, or going for treatment.

In the event of a medical or chemical emergency, contact

North America 1-800-255-3924 or Worldwide Intl. + 01- 813-248-0585

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled. Avoid breathing spray mist. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or usin tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

## ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

#### BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.





### **DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PROD-UCT IN A MANNER INCONSISTENT WITH ITS LABELING.

#### GENERAL INFORMATION

- Multi-purpose fungicide/insecticide/miticide 3 in 1 product.
- Kills egg, larvae and adult stages of insects.
- Prevents fungal attack of plant tissue.
- Not for use in food-handling areas.
- Shake well before using.
- Thorough plant coverage is essential to obtain optimal levels of control.
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment.
- As with other pest control products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- Use with care on plants with tender tissue. Check for leaf burn in small-scale trials prior to use.

#### **FUNGICIDE USE**

Application Instructions

- This product is an effective fungicide for prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust leaf spot, botrytis, needle rust, scab, and flower, twig and tip blight.
- This product may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- As a preventative, apply this product on a 7 to 14 day schedule until the potential for disease development is no longer present. Spray to run off. Complete coverage of all plant tissue is necessary for control.
- To control disease already present, apply this product

- on a 7-day schedule until disease pressure is eliminated. Then continue spraying on 14-day schedule to prevent the disease from recurring. Spray to run off. Complete coverage of all plant tissue is necessary for control
- To prevent rust leaf spot diseases, anthracnose, and scab, begin applications at the first sign of spring budding.
- To prevent powdery mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists.
- To prevent black spot on roses, begin applications at first bud emergence in spring. Apply this product on a 14-day preventative schedule through the spring and fall to prevent disease emergence.

#### INSECTICIDE USE

## Application Instructions

- This product is an effective insecticide for the control
  of various insect pests including whiteflies, mealy
  bugs, armyworms, hornworms, leafhoppers, bagworms, leafminers, psyllids, fruit flies, loopers, budworms, beetles (including Japanese beetles), aphids,
  scales, caterpillars, midges, budworms, and mites
  (including spider mites).
- This product may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- Apply this product at first sign of insects/mites. This
  product is most effective in controlling insects/mites
  when applied on a 7-14 day schedule. For heavy insect
  populations, apply on a 7-day schedule. Spray to run
  off. Complete coverage of all plant tissue is necessary
  for control.

#### STORAGE & DISPOSAL

**Pesticide Storage:** Keep in original container. Store away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. Keep from freezing.

Pesticide and Container Handling: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### WARRANTY

Voluntary Purchasing Groups, Inc. (VPG) warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition on the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.





# Get the free mobil app at http://gettag.mobi

# Manufactured By:



230 FM 87 • Bonham, Texas 75418 EPA Reg. No. 70051-13-7401 EPA Est. No. 7401-TX-01 Visit Us At: www.fertilome.com



4