

**RESULTS**  
with **Pop-Up**  
**Termite**  
**Indicator**  
**GUARANTEED†**

# Spectracide

TERMINATE®

## EASY TO USE!

**DETECT!** Place stakes every 10 feet around home and 2 to 3 feet from the foundation



**KILL!** Subterranean termites around your house



**REMEMBER!** Use more stakes in termite critical areas

Contains Interactive CD-ROM, Instructional Booklet, Digging Tool & 20 - 0.25 oz Child Resistant Stakes  
Contiene un CD-ROM interactivo, folleto de instrucciones, una herramienta para cavar y 20 estacas de 0.25 onzas a prueba de niños

Active Ingredient:  
Sulfiramid .....0.01%  
Other Ingredients ..... 99.99%  
U.S. Patent No. 4,921,696. Other U.S. and Foreign Patents Pending.

**DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH STAKES**  
**CAUTION** See back panel and enclosed booklet for additional precautionary information.

**NO PERMITA QUE LOS NIÑOS NI LAS MASCOTAS JUEGUEN CON LAS ESTACAS**  
**PRECAUCIÓN** Consulte el panel posterior y el folleto incluido para información adicional sobre las precauciones.

†For terms of guarantee, see back panel. See Directions For Use for more information.

**NOT RECOMMENDED AS SOLE PROTECTION AGAINST TERMITES, & FOR ACTIVE INFESTATIONS, GET A PROFESSIONAL INSPECTION.**

Para obtener más información, consulte el modo de empleo.  
**NO SE RECOMIENDA COMO ÚNICA PROTECCIÓN CONTRA LAS TERMITAS, Y EN EL CASO DE INFESTACIONES ACTIVAS, SOLICITE UNA INSPECCIÓN PROFESIONAL.**

**TOTAL NET WT 5 oz (141 g)**

17-13076




# TERMITE DETECTION & KILLING STAKES

*Estacas para detectar y matar termitas*

## 2-in-1 Termite Warning System

**Installs in Minutes**

**Stake Goes Deep Into the Soil Where Termites Forage**



**20  
STAKES**

*Includes written directions & interactive CD-ROM to aid in installation*


**STOP** READ ENTIRE LABEL & INSTRUCTION MANUAL BEFORE USE. Complete directions for use are enclosed. For additional helpful information, watch the enclosed interactive CD-ROM.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home.

**1. GATHER TOGETHER:**


- Spectracide Terminate® Termite Detection & Killing Stakes and locator shields
- Tape measure
- Enclosed graph paper
- Enclosed auger
- Power drill (optional)



**2. DETERMINE THE NUMBER OF STAKES YOU NEED.** The number of stakes needed is determined by the distance around the outside of your house. To estimate, use the square footage of your home excluding your garage, attached decks, patios and porches. Home designs vary, but if you know the approximate square footage of your home, the chart will help you choose the number of stakes you need.

<b>One-Story Home</b>	Up to 1,200 sq ft	1,200 to 2,500 sq ft or more
<b>Two-Story Home</b>	Up to 1,500 sq ft	1,500 to 3,000 sq ft or more
<b>Number of Stakes Needed</b>	<b>10 STAKES</b>	<b>20 STAKES</b>

**3. PREPARE DRAWING OF YOUR HOUSE.** Using the enclosed graph paper, make a drawing of the outside of your house. Note areas on the drawing such as doors, bushes, chimneys, etc., that will help you locate the stakes during the inspection process. Look for areas that are likely to support termite activity and note them on your drawing. These might include areas that retain moisture around downspouts, spigots, air conditioner lines and low areas with poor drainage. The interactive CD-ROM will also lead you through the process.



**4. INSTALL THE STAKES AROUND THE HOUSE.** Using the enclosed auger, dig holes 2 to 3 feet away from the foundation and no more than 10 feet apart (DETAIL A). Insert the stakes with locator shield in the holes. Place stakes closer together in "termite critical" areas (DETAIL B). **Notice: Do not use auger for any purpose other than installation of the Terminate Detector & Killing Stakes.**

**5. INSPECT THE STAKES.** Check the stakes for termite activity when the pop-up indicator is seen by pulling the stakes from the ground. The locator shields will help make removal of the stakes easier. It is important to check the stakes every three months. If you live in an area suspected to contain Formosan subterranean termites, the frequency of stake inspection should be increased to once a month.

**Look for signs that the bait has been eaten (DETAIL C) or that termites are present in the stake (DETAIL D).**

If evidence of termite activity is found in any stake, take the following steps:

- 1) Replace the active stake with a new stake;
- 2) Install additional stakes (three or more) within one foot of the infested stake; and
- 3) Note the date, the location and the additional stakes on your drawing.

**All stakes must be replaced or removed every 12 months. Be sure to wash your hands thoroughly after completing the inspection. Do not use more than 20 stakes per home.**

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool, dry place. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals • CAUTION.** Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.


**First Aid • If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

**Questions & Comments?** Call 1-888-545-5837 or visit our website at [www.spectracideterminate.com](http://www.spectracideterminate.com)


**LIMITED WARRANTY •** Satisfaction guaranteed or your money back. If within 15 months after purchase you are not satisfied with the product for any reason, return all of the stakes together with (a) the proof-of-purchase UPC code designation on the package and (b) the original dated store receipt showing the price you paid to Spectrum Group, PO Box 142642, St. Louis, MO 63114-0642 with your request for replacement or refund. Please allow 6-8 weeks for processing. This warranty is subject to these limitations: You must be the original purchaser of this product and you must follow all directions on the product label. This warranty does not apply if the products have been misused, abused or used in commercial applications. Replacement of the product or refund of the purchase price is your exclusive remedy. This is Spectrum Group's only warranty of this product. This express warranty and any implied warranties of merchantability and fitness for a particular purpose shall not extend beyond the warranty period. Spectrum Group is not responsible for any incidental or consequential damages. Some states do not allow limitations on how long implied warranties last or on the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state. This warranty is applicable only to products purchased and retained in the United States, its territories and possessions. Please call Spectrum Group toll free at 1-888-545-5837 if you have any questions about this warranty. Your warranty is valid only upon your completing, signing and returning the registration card inside this box to Spectrum Group within thirty (30) days of your purchasing the product.

**Spectracide** TERMINATE®  
**TERMITE**  
DETECTION & KILLING STAKES  
*Estacas para detectar y matar termitas*



Place stakes 2 to 3 feet away from home and no more than 10 feet apart.

Coloque las estacas a una distancia de 2 a 3 pies de la casa y no más de 10 pies de separación entre sí.




**ALTO** LEA TODA LA ETIQUETA Y EL MANUAL DE INSTRUCCIONES ANTES DE USAR.

Se incluyen todas las instrucciones sobre el modo de empleo. Para ayuda adicional, vea el CD-ROM interactivo incluido. **MODO DE EMPLEO** Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. Para usar al aire libre alrededor de la casa.

**1. REÚNA:**

- Estacas para detectar y matar termitas y escudos detectores de Spectracide Terminate®
- Cinta para medir
- Papel cuadrículado incluido
- Barrena incluida
- Taladro eléctrico (opcional)



**2. DETERMINE LA CANTIDAD DE ESTACAS QUE NECESITA.** La cantidad necesaria de estacas la determina la distancia que hay alrededor de la parte externa de su casa. Para calcularla, utilice la superficie en pies cuadrados de su casa, sin incluir su cochera, plataformas, patios y porches anexos. Los diseños de las casas varían, pero si conoce la superficie aproximada en pies cuadrados de su casa, la tabla le servirá de ayuda para decidir la cantidad de estacas que necesita.

<b>Casa de un piso</b>	Hasta 1,200 pies cuadrados	1,200 a 2,500 pies cuadrados o más
<b>Casa de dos pisos</b>	Hasta 1,500 pies cuadrados	1,500 a 3,000 pies cuadrados o más
<b>Cantidad de estacas necesarias</b>	<b>10 ESTACAS</b>	<b>20 ESTACAS</b>

**3. PREPARE UN DIBUJO DE SU CASA.** Haga un dibujo del exterior de su casa en el papel cuadrículado que se incluye. Marque en el dibujo áreas tales como puertas, arbustos, chimeneas, etc., que lo ayuden a localizar las estacas durante el proceso de inspección. Busque zonas que tengan probabilidad de tener actividad de termitas y márcuelas en su dibujo. Estas pueden ser zonas que retienen la humedad alrededor de tubos de desagüe, grifos, tubos de aire acondicionado y zonas bajas con drenaje insuficiente. **El CD-ROM interactivo también lo guiará por el proceso.**

**4. INSTALE LAS ESTACAS ALREDEDOR DE LA CASA.** Con la barrena que se incluye, cave orificios a una distancia de 2 a 3 pies de los cimientos y no más de 10 pies de separación entre sí (FIGURA A). Inserte las estacas con el escudo detector en los orificios. Coloque las estacas más juntas en zonas "con riesgo de termitas" (FIGURA B). **Nota: No use la barrena para ningún otro fin que la instalación de las estacas para detectar y matar termitas.**

**5. INSPECCION LAS ESTACAS.** Revise las estacas para comprobar si hay actividad de termitas cuando se ve el indicador emergente, sacando las estacas de la tierra. Los escudos detectores hacen que sea más fácil quitar las estacas. Es importante revisar las estacas cada tres meses. Si vive en una zona donde se sospecha que hay termitas subterráneas de forma, debe aumentar la frecuencia de las inspecciones a una vez por mes.

**Busque señales que indiquen que el cebo fue comido (FIGURA C) o de la presencia de termitas en la estaca (FIGURA D).**

Si encuentra evidencia de actividad de termitas en alguna estaca, siga los pasos siguientes:

- 1) Reemplace la estaca activa por una nueva estaca;
- 2) Instale otras estacas (tres o más) a una distancia no superior a un pie de la estaca infestada; y
- 3) Anote la fecha, la ubicación y las estacas adicionales en su dibujo.

**Se debe reemplazar o retirar todas las estacas cada 12 meses. Lávese muy bien las manos después de realizar la inspección. No use más de 20 estacas por casa.**

**ALMACENAMIENTO Y ELIMINACIÓN**

**Almacenamiento:** Guarde en un lugar fresco y seco. **Eliminación: Si está vacío:** No vuelva a utilizar este envase. Tirelo en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación.

**DECLARACIONES PREVENTIVAS**

**Riesgos para los seres humanos y los animales domésticos • PRECAUCIÓN.** Nocivo si se absorbe por la piel. Evite el contacto con la piel, los ojos o la ropa. Después de manipularlo, lávese muy bien con agua y jabón.

**Primeros Auxilios • Si entra en contacto con la piel o la ropa:** Quite la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

**NOTA: El comprador asume toda la responsabilidad en caso de no seguir las instrucciones sobre seguridad y modo de empleo. ¿Preguntas o comentarios? Llame al 1-888-545-5837.**

PROOF OF PURCHASE



0 71121 5336 4

Manufactured for Spectrum Group  
Division of United Industries Corp.  
PO Box 142642, St. Louis, MO 63114-0642  
EPA Reg. No. 9688-209-8845  
EPA Est. No. 81825-CHN-1  
Made in China. 17-13075 ©2008 UIC